

Notice of Allowability	Application No.	Applicant(s)	
	10/006,102	KEETON ET AL.	
	Examiner	Art Unit	
	Deborah K. Ware	1651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 6/17/04.
2. ☒ The allowed claim(s) is/are 1,4,6-15,18,20,22,24,26,28,30,32,34,36,38,40,42 and 43.
3. ☒ The drawings filed on 03 December 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>10132004</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Changed the title to – PROBIOTIC COMPOSITION CONTAINING
BACILLUS CEREUS RRRL B-30535 -- .

Authorization for this examiner's amendment was given in a telephone interview with Paul Prendergast on October 13, 2004.

The application has been amended as follows:

At line 8, inserted -- The preferred *Bacillus cereus* is strain RRRL B-30535. -- .

Claim 1, line 1, deleted "addition to a" ;
, line 2, before "bacterium" inserted -pathogenic--,
, line 3, after "Bacillus" deleted "for a" and inserted -cereus strain
RRRL B-30535-- ,
, line 4, deleted "reduction of a pathogenic bacterium" ;
Claim 2, canceled;
Claim 3, canceled;

Art Unit: 1651

Claim 4, line 2, deleted "essentially";

Claim 5, canceled;

Claim 7, line 1, deleted "2" and inserted -1--;

Claim 14, line 3, deleted "2" and inserted -1--;

Claim 16, canceled;

Claim 17, canceled;

Claim 19, canceled;

Claim 21, canceled;

Claim 23, canceled;

Claim 25, canceled;

Claim 26, line 3, deleted "2" and inserted -1--;

Claim 27, canceled;

Claim 29, canceled;

Claim 31, canceled;

Claim 33, canceled;

Claim 35, canceled;

Claim 37, canceled;

Claim 39, canceled;

Claim 41, canceled;

Claim 42, line 3, deleted "3" and inserted -1--;


Claim 43, line 3, deleted "3" and inserted -1--.


Art Unit: 1651

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Deborah K. Ware whose telephone number is 571-272-0924. The examiner can normally be reached on 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Wityshyn can be reached on 571-272-0926. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Deborah K. Ware
October 13, 2004


DAVID M. NAFF
PRIMARY EXAMINER
ART UNIT 1285